

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 15.09.2009

Revision: 15.09.2009

1 Identification of the substance/preparation and of the company/undertaking

- **Product details**
- **Trade name:** Spacer varnish gold
- **Article number:** 550 0000 7
- **Application of the substance / the preparation** Spacer varnish.
- **Manufacturer/Supplier:**
bredent GmbH & Co.KG
Weißenhornner Straße 2
89250 Senden
Tel: +49 (0) 7309/872-0
Fax: +49 (0) 7309/872-24
- **Further information obtainable from:**
R & D
e-mail: R.D@bredent.com
- **Information in case of emergency:** (001)3523233500 (24 h)

2 Hazards identification

- **Hazard description:**



Xi Irritant

- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
R 10 Flammable.
R 43 May cause sensitisation by skin contact.
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

- **Chemical characterization**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 123-92-2 EINECS: 204-662-3	isopentyl acetate	R 10-66	50-100%
	Acrylic polymers	☒ Xi; R 43	10-25%
CAS: 141-78-6 EINECS: 205-500-4	ethyl acetate	☒ Xi, ☒ F; R 11-36-66-67	1-5%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 2)

GB

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 15.09.2009

Revision: 15.09.2009

Trade name: Spacer varnish gold

(Contd. of page 1)

· **After swallowing:** Call a doctor immediately.

5 Fire-fighting measures

- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information** Cool endangered receptacles with water spray.

6 Accidental release measures

- **Person-related safety precautions:**
Ensure adequate ventilation
Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:** Ensure adequate ventilation.

7 Handling and storage

- **Handling:**
- **Information for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:**
Fumes can combine with air to form an explosive mixture.
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Protect from heat and direct sunlight.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

123-92-2 isopentyl acetate

WEL	Short-term value: 541 mg/m ³ , 100 ppm
	Long-term value: 270 mg/m ³ , 50 ppm

141-78-6 ethyl acetate

WEL	Short-term value: 400 ppm
	Long-term value: 200 ppm

- **Additional information:** The lists valid during the making were used as basis.

- **Personal protective equipment:**
- **General protective and hygienic measures:**
Use skin protection cream for skin protection.
The usual precautionary measures are to be adhered to when handling chemicals.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.
Do not eat, drink, smoke or sniff while working.

(Contd. on page 3)

GB

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 15.09.2009

Revision: 15.09.2009

Trade name: Spacer varnish gold

(Contd. of page 2)

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **General Information**

Form:	Fluid
Colour:	Blue
Odour:	Characteristic

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

· **Flash point:** 25°C

· **Ignition temperature:** 315°C

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

Lower: 1.0 Vol %

Upper: 10.0 Vol %

· **Vapour pressure at 20°C:** 7 hPa

· **Density:** Not determined.

· **Solubility in / Miscibility with water:** Partly miscible.

(Contd. on page 4)

GB

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 15.09.2009

Revision: 15.09.2009

Trade name: Spacer varnish gold

(Contd. of page 3)

· Solvent content:	
Organic solvents:	0.0 %
· Solids content:	100.0 %

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions**
 Reacts with alkaline metals.
 Reacts with oxidizing agents.
- **Dangerous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
 The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
 Irritant
- **Sensitisation** May cause sensitisation by skin contact.

12 Ecological information

- **General notes:**
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Product:**
- **Recommendation**
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **Land transport ADR/RID (cross-border)**



- **ADR/RID class:** 3 Flammable liquids.
- **Danger code (Kemler):** 30

(Contd. on page 5)

-GB

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 15.09.2009

Revision: 15.09.2009

Trade name: Spacer varnish gold

(Contd. of page 4)

- **UN-Number:** 1993
- **Packaging group:** III
- **Hazard label:** 3
- **Description of goods:** 1993 FLAMMABLE LIQUID, N.O.S. (AMYL ACETATES, ETHYL ACETATE), special provision 640E

- **Maritime transport IMDG:**



- **IMDG Class:** 3
- **UN Number:** 1993
- **Label:** 3
- **Packaging group:** III
- **EMS Number:** F-E,S-E
- **Marine pollutant:** No
- **Proper shipping name:** FLAMMABLE LIQUID, N.O.S. (AMYL ACETATES, ETHYL ACETATE)

- **Air transport ICAO-TI and IATA-DGR:**



- **ICAO/IATA Class:** 3
- **UN/ID Number:** 1993
- **Label:** 3
- **Packaging group:** III
- **Proper shipping name:** FLAMMABLE LIQUID, N.O.S. (AMYL ACETATES, ETHYL ACETATE)

15 Regulatory information

- **Labelling according to EU guidelines:**
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.
- **Code letter and hazard designation of product:**
Xi Irritant
- **Hazard-determining components of labelling:**
Acrylic polymers
- **Risk phrases:**
10 Flammable.
43 May cause sensitisation by skin contact.
- **Safety phrases:**
16 Keep away from sources of ignition - No smoking.
24/25 Avoid contact with skin and eyes.
37/39 Wear suitable gloves and eye/face protection.
60 This material and its container must be disposed of as hazardous waste.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 6)

-GB

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 15.09.2009

Revision: 15.09.2009

Trade name: Spacer varnish gold

(Contd. of page 5)

· Relevant R-phrases*10 Flammable.**11 Highly flammable.**36 Irritating to eyes.**43 May cause sensitisation by skin contact.**66 Repeated exposure may cause skin dryness or cracking.**67 Vapours may cause drowsiness and dizziness.***· Department issuing MSDS: R & D****· Contact: R & D****· * Data compared to the previous version altered.**

GB